

5 / 5 /
1 x ó ' ' n ³/₄ v

★安全告知

c †!6 j n eæ †L T)û ¬ mc ä l•"
cX, j í ´ !6 "
c!6 m" X, Ú(´ "
c° / X, ^cÚ(æ*"
c ä l•" j ò!6 â Ú(")
cX, e¬ ¬ s k¾gœ¬ /ÿ¬ ce¬ W¥ÿ È!6"
cÈXL \à'Ð° !6d


★注意事项

c!6 R» ‹ÿ}{,¨,üG ° /âÿ'û mg;É8 "
c!6}— ±" EEcÓ' ëK†´ ° ÉS,bëe"
c m•ë¿ ³çc³- n†õô¾îøæ]´'Ð"
c ½ -·k¾ ës ¬jê½ ý¬g¾{¬)û†X%8"
c!6qì" È³Úÿ^%8 ææ½ æ´d

1 用途

5 / ,y 1xó'' n¾v »• ÅKn¾v Á ì c•G]'
 (B 7 7 •G(" f »• -¾/ o ¶ {ck¾ cO6l ™ ¶ } p(Æã
 • â4® ¹n(wm"ä Ö\¬¾ d
 !6øæ c 5 ³y d

(1) 型号定义



Ó+
 B •G(Ó! î ¶ k 5 "
 C ~ôÓ!î ¶ k 5 "
 E "âÈ+ø Ó!î ¶ k 5 d

3 正常的工作、安装和贮存条件

p(]''Ñ
 B ; Åw1g!1gh«â1¶ § •«â § I<^1gâ: § 1{³y]
 '1g• È†8,¥)û* "
 C °9:g! m \$ °9â1¶ N"
 D Öw"Ñ!Öw¾Å Mu© ¢) -)/M » «!ëäE*†X w~0
 C "Öw -sig}; Åw1g §"â1¶ } 1g• ¶ » : -sig
 "1g §" -sigâ1¶ "sÛ1g-\$!"}!6¶K À½ ë_ÉðÛÁò
 î d

p(m"Ñ óùf mdÊî í
 B m+¹! p+"
 C m,BJù %o! %o"
 D ½ %o! 1 "
 E m} 5 ³yý≠h î í "
 F m%öMjW jlòN M/2³{ d
 p([É"Ñ
 B [É1g!1gh«â1¶ § •«â § "
 C [Éig!} § " -sigâ1¶ d

4 主要技术参数

V'ÿÿ ³î¶ "
 âÈ<ÿî¶ d

¶

•G (0	~ ô	"âÈ +ø	•G (B 6F	•Gk¾ÓnÿO	
				•G ~ «k¾Ón ÿO DV	•Gnû k¾Ón ÿO DT
"	1	ø	" 7	5 / "	5 / "
			" 7	5 / "	5 / "
	1		" 7	5 / "	5 / "
			" 7	5 / "	5 / "
	1		" 7	5 / "	5 / "
	1		" 7	5 / "	5 / "

¶

"âÈ +ø	Ër(0	o³q_ % , 0 Ër	âÈgââÈ~«".		GY ' .	•_ (} T•7G h- ÿG
			0• " Už I	0> " U# I		
ø	0	/_	Už I	Už I	ââÈ	žæ Y—' 1 (
ø	0	/_	Už T		ââÈ	
ø	0	/_	U# T		âÈ	
ø	0	/_	U# T		âÈ	
ø	0	/_	U# T		âÈ	
ø	0	/_	U# T		âÈ	
ø	0	/_	U# T		âÈ	
ø	0	/_	U# T		âÈ	

_b/_r }ny1g §• Ër•âÛ {

5 剩余电流动作断路器安装和使用

n ¾ v ð 5

ø³ y ý ¶) û m




图1 5

ø³ y ý ¶

ó ù f m d Ê




图2 ó ù f m d Ê

n ¾ v ð æ m í Ñ % q 0 0 " " ^ È n - q _ ò í Ñ ÷ h n N " ^ È ÷ ž æ °
 ÷ n N "

0 n ¾ v • G (\$ U ¾ ý ñ³ K K r í ¶

¶

• G (")				
ý ñ K r NN				

m " È /N Åg %¾ý¬ ½"} mûN ð CNý¬ ù´¿r¾ý¬
 ¾î " È7í /N Åg %¾ý¬ d
 !6 ¬μÉÍ

图3 ¬μÉÍ

6 常见故障及排除

(îfÐ	PÙÓe	æ, °¥
âÿæ£	{jk¾	æ, k¾
	´orfÐ	W0í!6
	n¾v •G(0 {(â\$ ¾ý¬ %	W00 {(-\$ n¾v
1g*:		

7 订货须知

Hj" ³\•yR\$!

!6`K " 5 / 1xó'' n¾v "

!6~ô " 1 "

!6 "âÈ+ø " ø "

!6•G(" " "

!6ôh " ["

HjhH! 5 / 1 [d

8 温馨提示

ò‡!6Đa4 " t| A, ,B È½³Ú!6gŒæÑëx Mì]´
s âÿMì ëx™È³Ú%8]´ â´;ÉlydÄ(+æ½ [

TENGEN  天正电气

产品合格证

名称: 塑料外壳式断路器
型号: TGB1N-125
TGB1N-125H

本产品执行GB/T 14048.2
标准, 经检验合格, 准予出厂。

检验员: 检 09

检验日期: 见产品或包装

浙江天正电气股份有限公司

浙江天正电气股份有限公司